MATERIAL	SAFETY	ата	SHEET	PAC	3E: 1	of 5
** MANUFACTURER ** SAVOLITE CORPORATION 1607 Derwent Way Delta, B.C. V3M 6K8. Canada (604) 526-5655		MSI	DESTINATION S REQUEST NTOUT	**		
				BC		
SAVOLITE INC. 10848 E Marginal Way Seattle WA 98168. USA (206) 763-1340		PRC	DUCT: ZONK 1	.8.9L/PL		
		DAT REV	OS No: 08858 TE: 11/10/93 VISION: VISION DATE:	Ø8/Ø5/93		
AFTER HOURS EMERGENCY PHONES: Canada: CANUTECH (613) 996-666 U.S.A.: CHEMTREC (800) 424-930		66 SAL	ES ORDER NO:			
Ø1. PRODUCT IDE	ENTIFICATION					
PRODUCT NAME: PRODUCT USE:		NED		HMIS DI	HMIS DESIGNATION:	
WHMIS CODE:	DSB			FLAMMA	HEALTH: FLAMMABILITY: REACTIVITY:	
DOT HAZ CLASS: DOT ID NUMBER:	NOT APPLY			PERSON		1
02. HAZARDOUS	INGREDIENTS					
INGREDIENT		OSHA PEL	ACGIH TLV	CAS NUMBER	RANGE	*
ALK. DIMETHYLBEN	ZYL AMM.CHLOR	N/A	200 ppm (S	8001-54-5	1.5-	5.0
LD50 (oral rat) LD50 (dermal) LC50						·
SODIUM METASILICATE		N/A	No Tox Dat	6834-92-0	1.5-	5.0
LD50 (oral rat) LD50 (dermal) LC50	1153 mg/kg NOT AVAILABLE NOT AVAILABLE				·/	
ALKYL PHENOL ETHOXYLATE		N/A	Not Establ	9016-45-9	1.5-	5.0
LD50 (oral rat) LD50 (dermal) LC50	1310 mg/kg 2830 mg/kg NOT AVAILABLE					•

MATERIAL SAFETY DATA SHEET MSDS NO. 1885835 PAGE: 2 of 5 SAVOLITE CORPORATION Ø8858 03. PHYSICAL DATA 102'C APPROX Boiling Point: Specific Gravity (H20 = 1): 1.040 Vapor Pressure (mm Hg): SIMILAR TO WATER Melting Point: LIGUID Vapor Density (AIR = 1): SIMILAR TO WATER Solubility in Water: SOLUBLE 13.2 (3.1% SOLUTION) oH: Evaporation Rate (Butyl Acetate = 1): NOT KNOWN Appearance & Odor: CLEAR YELLOW LIQUID WITH FLORAL ODOR 04. FIRE AND EXPLOSION HAZARD DATA FLASH POINT 'C (CLOSED CUP): NONE TO BOILING EXTINGUISHER MEDIA: PRODUCT NOT FLAMMABLE SPECIAL FIRE FIGHTING PROCEDURES: NONE UNUSUAL FIRE OR EXPLOSION HAZARD: NONE FLAMMABLE LIMITS: NOT KNOWN AUTO-IGNITION TEMPERATURE: NOT KNOWN CONDITIONS OF FLAMMABILITY NONE **EXPLOSION DATA:** SENSITIVITY TO MECHANICAL IMPACT: NONE SENSITIVITY TO STATIC DISCHARGE NONE

05. REACTIVITY DATA

MATERIAL SAFETY DATA SHEET

MSDS NO.

1885835

PAGE:

3 of 5

SAVOLITE CORPORATION

08858

05. REACTIVITY DATA

(CONTINUED)

STABILITY:

STABLE

INCOMPATIBILITY (Materials to Avoid):

ACIDIC COMPOUNDS

HAZARDOUS DECOMPOSITION PRODUCT:

NONE

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR

Ø6. TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY INFORMATION:

SKIN CONTACT:

POSSIBLE

SKIN ABSORBTION:

UNLIKELY

EYE CONTACT:

POSSIBLE

INHALATION - ACUTE:

UNLIKELY

INHALATION - CHRONIC:

UNLIKELY

INGESTION:

POSSIBLE

IRRITANCY:-

EFFECTS OF ACCUTE EXPOSURE TO PRODUCT:

MAY CAUSE EYE OR SKIN IRRITATION IN SENSITIVE INDIVIDUALS

EFFECT OF CHRONIC EXPOSURE TO PRODUCT:

NONE KNOWN

SENSITIZATION TO PRODUCT:

SENSITIZATION MAY OCCUR IN SENSITIVE INDIVIDUALS.

MATERIAL SAFETY DATA SHEET MSDS NO. 1885835 PAGE: 4 of 5 SAVOLITE CORPORATION 08858 TOXICOLOGICAL PROPERTIES (CONTINUED) CARCINOGENICITY: NONE KNOWN REPRODUCTIVE TOXICITY: NONE KNOWN TERATOGENICITY: NONE: KNOWN **MUTAGENICITY:** NONE KNOWN Name of Toxicologically Synergistic Product: NONE KNOWN **07. PREVENTIVE MEASURES** RESPIRATORY PROTECTION: AVOID INHALATION OF MIST OR SPRAY **VENTILATION:** USE WITH NORMAL VENTILATION PROTECTIVE GLOVES: USE RUBBER OR PLASTIC GLOVES AS REQUIRED EYE PROTECTION: PROTECT EYES FROM SPLASHES WITH GOGGLES OR FACE SHIELD DISPOSAL PROCEDURES FOR SPILLS OR LEAKS: ABSORB LIQUID INTO SAND OR ABSORBENT SWEEPING COMPOUND. WASTE DISPOSAL METHOD:

HAUL ABSORBED MATERIAL TO SUITABLE WASTE DISPOSAL SITE. DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, PROVINCIAL OR FEDERAL REGULATIONS.

KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE UPRIGHT. KEEP FROM

FREEZING. DO NOT MIX WITH ANY OTHER CHEMICALS.

Ø8. FIRST AID PROCEDURES

FIRST AID PROCEDURES:

OTHER PRECAUTIONS:

MATERIAL SAFETY DATA SHEET MSDS NO. 1885835

PAGE: 5 of 5

SAVOLITE CORPORATION

08858

08. FIRST AID PROCEDURES

(CONTINUED)

IF SWALLOWED GIVE PLENTY OF WATER TO DRINK. DO NOT INDUCE VOMITING. CALL A PHYSICIAN. IN CASE OF CONTACT WITH SKIN OR EYES, FLUSH WITH CLEAN WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

09. PREPARATION DATA

PREPARED BY:

PREPARED BY TECHNICAL ADVISORY SERVICES. PHONE (604) 526-5655 THE INFORMATION PROVIDED IN THIS MATERIAL SAFETY DATA SHEET HAS BEEN OBTAINED FROM SOURCES BELIEVED TO BE RELIABLE. SAVOLITE CORPORATION PROVIDES NO WARRANTIES FOR THE ACCURACY OR THE COMPLETENESS OF THE DATA CONTAINED HEREIN.