SAFETY DATA SHEET



1. Identification

Product identifier	Pre-Game Concentrate
Other means of identification	
SDS number	585N-02A
Product code	HIL00452
Recommended use	Floor Cleaner
Recommended restrictions	For Labeled Use Only
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St.
	St. Joseph, MO 64501

Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		

Signal word	Warning
Hazard statement	Causes serious eye irritation. Harmful to aquatic life.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Chemical name	Common name and synonyms	CAS number	%	
2-methoxymethylethoxy propan [DPM]	ol	34590-94-8	5 - < 10	
Propylene glycol monomethyl e	ther	107-98-2	5 - < 10	
Other components below report	table levels		80 - < 90	
*Designates that a specific chemic	al identity and/or percentage of composition ha	s been withheld as a trade se	cret.	
4. First-aid measures				
Inhalation	Move to fresh air. Call a physician if symptom	is develop or persist.		
Skin contact	Wash off with soap and water. Get medical at	ttention if irritation develops ar	nd persists.	
Eye contact		Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treasing Symptoms may be delayed.	at symptomatically. Keep victi	m under observatic	
General information	Ensure that medical personnel are aware of the protect themselves.	he material(s) involved, and ta	ike precautions to	
5. Fire-fighting measures				
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire fighting equipment/instructions	Move containers from fire area if you can do s	so without risk.		
Specific methods	Use standard firefighting procedures and con-	sider the hazards of other invo	olved materials.	
General fire hazards	No unusual fire or explosion hazards noted.			

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Components	Air Contaminants (29 CF) Type	R 1910.1000) Value
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	PEL	600 mg/m3
		100 ppm
US. ACGIH Threshold Limit Va	lues	
Components	Туре	Value
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	STEL	150 ppm
	TWA	100 ppm
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	100 ppm
	TWA	50 ppm
US. NIOSH: Pocket Guide to C		
Components	Туре	Value
2-methoxymethylethoxy propanol [DPM] (CAS 34590-94-8)	STEL	900 mg/m3
		150 ppm
	TWA	600 mg/m3
		100 ppm
Propylene glycol monomethyl ether (CAS 107-98-2)	STEL	540 mg/m3
		150 ppm
	TWA	360 mg/m3
		100 ppm
logical limit values	No biological exposure limits	s noted for the ingredient(s).
oosure guidelines		
US - California OELs: Skin des	signation	
2-methoxymethylethoxy pro 34590-94-8)		Can be absorbed through the skin.
Propylene glycol monometh US - Tennessee OELs: Skin de	signation	Can be absorbed through the skin.
2-methoxymethylethoxy pro 34590-94-8)		Can be absorbed through the skin.
US ACGIH Threshold Limit Val	-	One has always a difference that which
2-methoxymethylethoxy pro 34590-94-8)		Can be absorbed through the skin.
US NIOSH Pocket Guide to Ch		-
2-methoxymethylethoxy pro 34590-94-8)	panoi [DPIVI] (CAS	Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-methoxymethylethox 34590-94-8)	y propanol [DPM] (CAS	Can be absorbed through the skin.
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measure	es, such as personal protect	ive equipment
Eye/face protection	Avoid contact with eyes. V side shield	Where splashing of concentrate is a concern, use protective glasses with
Skin protection		
Hand protection	Use protective gloves whe	en dealing with the concentrate.
Other	None normally required. I impervious clothing.	f unable to avoid prolonged or repeated contact with skin, wear
Respiratory protection	recommended exposure l	ngineering controls do not maintain airborne concentrations below imits (where applicable) or to an acceptable level (in countries where been established), an approved respirator must be worn.
Thermal hazards	None known.	
General hygiene considerations		sonal hygiene measures, such as washing after handling the material g, and/or smoking. Routinely wash work clothing and protective taminants.

9. Physical and chemical properties

Appearance	Clear, light blue liquid
Physical state	Liquid.
Form	Liquid.
Color	Light blue
Odor	Non-objectional odor
Odor threshold	Not available.
рН	5.25 - 8.00
Melting point/freezing point	Not applicable / Not available
Initial boiling point and boiling range	207 °F (97.22 °C)
Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup
Evaporation rate	< 1 Ethyl ether=1
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.17
Vapor density	1.3235 Air=1
Relative density	1.003 at 77°F
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.35 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	> 99 %

3.97 % 1:4 Dilution 19.83 % Concentrate

10. Stability and reactivity

VOC

Reactivity Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
2-methoxymethylethoxy propanol	[DPM] (CAS 34590-94-8)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	9.5 g/kg
Oral		
LD50	Rat	5.35 g/kg
Propylene glycol monomethyl ethe	er (CAS 107-98-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	13 g/kg
Inhalation		
LC50	Rat	54.6 mg/l, 4 Hours
Oral		
LD50	Rat	5.71 g/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary	irritation.
Serious eye damage/eye rritation	Causes serious eye irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any co mutagenic or genotoxic.	omponents present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
Not listed.	Evaluation of Carcinogenicity	
OSHA Specifically Regulate Not regulated.	ed Substances (29 CFR 1910.1001-1052)	

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	Harmful to aquatic life.		
Product		Species	Test Results
Pre-Game Concentrate			
Aquatic			
Crustacea	EC50	Daphnia	579.2982 mg/l, 48 hours estimated
Fish	LC50	Fish	762.8829 mg/l, 96 hours estimated
Persistence and degradability Bioaccumulative potential	No data is av	ailable on the degradability of this product.	
Mobility in soil	No data avai	lable.	

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation potential.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot established.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4) Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Serious eye damage or eye irritation categories

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Propylene glycol monomethyl ether (CAS 107-98-2)

International Inventories

Country(s) or region	Inventory name On invento	ry (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)		

A "No" indicates that an components of the product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-12-2017
Revision date	05-20-2019
Version #	02
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

Product and Company Identification: Product and Company Identification Hazard(s) identification: Response Composition / Information on Ingredients: Ingredients Exposure controls/personal protection: Hand protection Physical & Chemical Properties: Multiple Properties Physical and chemical properties: Appearance Physical and chemical properties: Color Regulatory information: California Proposition 65 HazReg Data: International Inventories