Pg

33305

# **RAMSEY**°

# MATERIAL SAFETY DATA SHEET

HIGH PERFORMANCE CARPET SHAMPOO

Date Prepared: Date Revised:

03/06/1997

INGITI EIN OMBANGE OAN EI GIAM OO

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: HIGH PERFORMANCE CARPET SHAMPOO

**MANUFACTURER** 

The Ramsey Company 120 Bartlett Street

Marlborough, MA 01752-3065

Ramsey Telephone Number:

800-421-2768

Emergency Telephone (24 hours): 800-228-5635 Ext 118

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT	OSHA PEL	/STEL	ACGIH 1	TLV/STEL	U
Water	7732-18-5	30 - 60	NA		NA		Ź
Sodium lauryl sulfate	151-21-3	<b>2-5 - 10</b>	NE		NE 🔝		نباه
Ethanol, 2-butoxy	111-76-2	3 – 7	25 ppm (12	0 mg/m3)/	25 ppm	(121 mg/m3)	15
	<b>建</b> 。20世纪		(Skin)		(Skin)		C
Sodium decyl sulfate	· 142-87-0	1 – 5	NE 📑		NE 🦂		
Lauric acid monoisopropanola-	142-54-1	<b>1-5</b>	NE 📏	·参考表	NE 🦪		
mide	นายเป็นเป็นไ			(金)	Liking willing		الم المالي
	137-16-6		NE		NE	1000年	
Fragrance	NA	<0.1	NE		NE		د کر اورون
والْمِينَالْمَعَوْلُونِ وَيَجُونُوا لِمِينَالِ مِنْ فَيَجَالِكُمْ الْمِينِينِ مِنْ أَمَا إِنَّا الْمَعْوَقِ الْمَعْمَالُ مِنْ	· Algaria						
NA - Not Applicable NE - Not Est	ablished	13 A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					gen skira salas

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

Clear, Light Straw Colored Liquid. Slightly Sweet Odor. Causes Eye Irritation. May Cause Skin Irritation. May Be Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: X Eye X Skin Contact Skin Absorption X Inquestion

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

#### **EYES**:

Causes eye imitation. Symptoms may include redness and pain.

## SKIN:

May cause skin imitation. Symptoms may include redness, rash and mild swelling.

#### INGESTION:

May be harmful if swallowed. May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

MSDS No: 6000

# Pg 2

#### HIGH PERFORMANCE CARPET SHAMPOO

Date Prepared: 03/06/1997 Date Revised: 05/20/1997

#### INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing and a burning sensation in the nose and throat. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

## **EFFECTS OF CHRONIC EXPOSURE:**

Prolonged or repeated contact may cause skin irritation.

#### MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

## 4. FIRST AID MEASURES

#### **FYF**S

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

#### SKIN

Flush thoroughly with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

#### INGESTION

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

#### INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

## 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

## FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

#### **EXTINGUISHING MEDIA:**

Use extinguishing media appropriate for surrounding fire.

## HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide), nitrogen oxides and sulfur oxides.

## FIRE AND EXPLOSION HAZARDS:

None known.

Date Prepared: 03/06/1997 Date Revised:

05/20/1997

#### FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

#### 6. **ACCIDENTAL RELEASE MEASURES**

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

#### 7. HANDLING AND STORAGE

#### HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes and skin. Avoid breathing mist. Wash thoroughly after handling. Remove saturated clothing. Wash clothing and equipment before reuse.

## STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

## **EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **ENGINEERING CONTROLS:**

General room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits (See Section 2, Composition/Information on Ingredients).

## **PERSONAL PROTECTION**

## EYE:

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87

## SKIN:,

Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

## RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

#### HIGH PERFORMANCE CARPET SHAMPOO

Date Prepared: 03/06/1997 Date Revised: 05/20/1997

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Slightly Sweet

APPEARANCE: Clear, Light Straw Colored

pH: 10.0 to 10.5

PERCENT VOLATILE BY WEIGHT: 83
VAPOR PRESSURE: Not Determined
VAPOR DENSITY: Not Determined
BOILING POINT: Not Determined

FREEZING/MELTING POINT: Not Determined

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.01 VISCOSITY: Slightly Viscous

OCTANOL/WATER PARTITION COEFFICIENT: Not Determined

**ODOR THRESHOLD: Not Determined** 

## 10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

**POLYMERIZATION:** 

Will not occur.

HAZARDOUS DECOMPOSITION:

None.

**INCOMPATIBLE MATERIALS:** 

Oxidizers (e.g., bleach) and strong acids (e.g., hydrochloric acid).

## 11. TOXICOLOGICAL INFORMATION

## **ACUTE DATA:**

No data is available for this product. The following data are available for product ingredients:

PRODUCT/INGREDIENT	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)	
Sodium lauryl sulfate	800–1288 mg/kg	Not Available	Not Available	
Ethanol, 2-butoxy	470 mg/kg	220 mg/kg	450 ppm (4-hr)	
Sodium decyl sulfate	1950 mg/kg	Not Available	Not Available	
Lauric acid monoisopropanolamide	1200 mg/kg	12000 mg/kg	Not Available	

SENSITIZATION DATA:

No data available.

MSDS No: 6000



#### HIGH PERFORMANCE CARPET SHAMPOO

Date Prepared: 03/06/1997 Date Revised: 05/20/1997

## **CHRONIC DATA:**

Prolonged overexposure to high concentrations of ethanol, 2-butoxy by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals.

#### REPRODUCTIVE/TERATOGENIC DATA:

No data available.

#### CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

#### SYNERGISTIC MATERIALS:

No data available.

## 12. ECOLOGICAL INFORMATION

No data available.

#### 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

## 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

## 15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

## **UNITED STATES**

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.

313 REPORTABLE INGREDIENTS: Ethanol, 2-butoxy is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

## TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

MSDS No: 6000 Page: 5 of 6

Pg. 6

#### HIGH PERFORMANCE CARPET SHAMPOO

Date Prepared: 03/06/1997 Date Revised: 05/20/1997

#### **CANADA**

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):


Class D-Division 2B, eye and skin irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## 16. OTHER INFORMATION

#### **HMIS RATING**

HEALTH	•	2
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

## NFPA RATING



MSDS STATUS Revision #: 1

This MSDS replaces the MSDS. Any changes in information are as follows:

APPROVAL DATE: 05/20/1997

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

MSDS No: 6000