RAMSEY

MATERIAL SAFETY DATA SHEET

PROFESSIONAL SPOTTER All Purpose Spotter

Date Prepared: 03/05/1997

Date Revised:

05/20/1997

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name/Use: PROFESSIONAL SPOTTER All Purpose Spotter

MANUFACTURER

The Ramsey Company 120 Bartlett Street

DENTIFICATION

Impose Spotter

Ramsey Telephone Number: 800-421-2768
Emergency Telephone (24 hours): 800-228-5635 Ext 118

Marlborough, MA 01752-3065

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	% BY WEIGHT	OSHA PEL/STEL	ACGIH TLV/STEL
Water	7732-18-5	60 - 100	NA	NA
Diethylene glycol ethyl ether	111 <i>-</i> 90-0	3 - 7	NE	NE
2-Butoxyethanol	111 <i>-</i> 76-2	1 – 5	25 ppm (120 mg/m3)/ (Skin)	25 ppm (121 mg/m3)/ (Skin)
Fragrance	NA	<0.1	NE	NE

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

NA - Not Applicable

Clear, Colorless Liquid. Mild, Lemon Odor. May Cause Eye Irritation.

NE - Not Established

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE: X Skin Contact Skin Absorption X Eye X Inhalation X Ingestion

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES:

May cause eye irritation. Symptoms may include redness and pain.

May cause mild skin irritation. Symptoms may include redness.

INGESTION:

May cause mouth, throat and stomach irritation. Symptoms may include nausea, vomiting and diarrhea. May also cause central nervous system effects including headache, dizziness and weakness.

INHALATION:

High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing. High concentrations of vapor or mist may also cause central nervous system effects including headache, dizziness and nausea.

MSDS No: 6019 Page: 1 of 6

PROFESSIONAL SPOTTER All Purpose Spotter

Date Prepared: 03/05/1997 Date Revised:

05/20/1997

EFFECTS OF CHRONIC EXPOSURE:

Prolonged or repeated contact may cause skin irritation.

MEDICAL CONDITIONS AGGRAVATED:

May aggravate pre-existing eye, skin and respiratory conditions.

FIRST AID MEASURES

EYES:

Flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get medical attention.

SKIN:

Flush with water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops.

INGESTION:

Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

INHALATION:

Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: >200°F 93°C TCC

FLAMMABLE LIMITS:

Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA:

Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS:

Normal products of combustion (carbon monoxide and carbon dioxide).

FIRE AND EXPLOSION HAZARDS:

None known.

FIRE FIGHTING INSTRUCTIONS:

This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

MSDS No: 6019 Page: 2 of 6

PROFESSIONAL SPOTTER All Purpose Spotter

Date Prepared: 03/05/1997 Date Revised: 05/20/1997

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop, absorbent, or wet vacuum to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING:

Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes. Wash thoroughly after handling. Remove saturated clothing. Wash clothing and equipment before reuse.

STORAGE:

Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

General room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits (See Section 2, Composition/Information on Ingredients).

PERSONAL PROTECTION

EYE:

Where eye contact is possible, wear safety glasses with side shields or chemical splash goggles (ANSI Z87.1 approved).

SKIN:

Where prolonged or repeated contact is possible, chemical-resistant clothing (e.g., gloves) is recommended.

RESPIRATORY:

No respiratory protection is required if ventilation is adequate.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid ODOR: Mild. Lemon

APPEARANCE: Clear, Colorless

pH: 7.2

PERCENT VOLATILE BY WEIGHT: 99
VAPOR PRESSURE: Not Determined
VAPOR DENSITY: Not Determined
BOILING POINT: Not Determined

FREEZING/MELTING POINT: Not Determined

SOLUBILITY IN WATER: Complete

MSDS No: 6019 Page: 3 of 6

PROFESSIONAL SPOTTER All Purpose Spotter

Date Prepared: 03/05/1997 Date Revised: 05/20/1997

EVAPORATION RATE: Not Determined

SPECIFIC GRAVITY: 1.00 VISCOSITY: Water Thin

OCTANOLWATER PARTITION COEFFICIENT: Not Determined

ODOR THRESHOLD: Not Determined

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID):

Stable.

POLYMERIZATION:

Will not occur.

HAZARDOUS DECOMPOSITION:

None.

INCOMPATIBLE MATERIALS:

Oxidizers (e.g., bleach).

TOXICOLOGICAL INFORMATION

ACUTE DATA:

No data is available for this product. The following data are available for product ingredients:

PRODUCT/INGREDIENT

ORAL LD₅₀ (rat)

DERMAL LD₅₀ (rabbit)

INHALATION LC₅₀ (rat)

Diethylene glycol ethyl ether

5500 mg/kg 2-Butoxyethanol

470 mg/kg

8500 mg/kg

200 mg/L (1-hr)

220 mg/kg 450 ppm (4-hr)

SENSITIZATION DATA:

No data available.

CHRONIC DATA:

Prolonged overexposure to high concentrations of diethylene glycol ethyl ether by ingestion has caused liver and kidney effects in laboratory animals; prolonged overexposure by dermal absorption has also caused kidney effects in animals. Prolonged overexposure to high concentrations of 2-butoxyethanol by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals.

REPRODUCTIVE/TERATOGENIC DATA:

No data available.

CARCINOGENIC/MUTAGENIC DATA:

Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA.

SYNERGISTIC MATERIALS:

No data available.

MSDS No: 6019 Page: 4 of 6

PROFESSIONAL SPOTTER All Purpose **Spotter**

Date Prepared: 03/05/1997 Date Revised: 05/20/1997

12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No other data available.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA non-hazardous waste in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive—selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

- 311/312 HAZARD CATEGORIES: Under 40 CFR 370.2, this product meets the following hazard categories: Immediate, Delayed.
- 313 REPORTABLE INGREDIENTS: 2-Butoxyethanol and diethylene glycol ethyl ether are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT) CERCLA REGULATORY: None of the ingredients in this product are reportable under CERCLA.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: This product complies with all TSCA inventory requirements.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):

Class D-Division 2B, eye irritant. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

MSDS No: 6019 Page: 5 of 6

33345 +33350

PROFESSIONAL SPOTTER All Purpose Spotter

Date Prepared: 03/05/1997 Date Revised: 05/20/1997

OTHER INFORMATION

HMIS RATING

HEALTH	*	1
FLAMMABILITY		0
REACTIVITY		0
PERSONAL PROTECTION		-

FIRE HEALTH REACTIVITY

NFPA RATING

SPECIAL

MSDS STATUS Revision #: 1

This MSDS replaces the MSDS. Any changes in information are as follows:

APPROVED BY: EH&S/Regulatory Affairs

APPROVAL DATE: 05/20/1997

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.