77000

MATERIAL SAFETY DATA SHEET

Way be used comply with OSHA's Hazard Communication Standard, 29 CFR 1910, 1200. Standard must be consulted for specific requirements. U.S Department of labor
Occupational Safety and Health
Administration (Non-Mandatory Force

must be marked to indicate.

IDENTITY (As Used on Label and List)	Note:Blank spaces are not permitted	
ACP BRAND U2-600	If any item is not applicable or	
Digital Ink Black	information is available, the space	

Section I

Distributor's Name:
American Coated Products, Inc
#1 Heritage Park Rd.
Clinton, Ct. 06413

Emergency Tel. No.
Tel. No. for information 1-800-323-8890

Date Prepared Jan. 01, 1994

Date Revised

Address

Section I Hazardous ingredients/Identity Information

Hazardous Components	(Specific Chem	ical Identity; C	ommon·N	ame(s))		
		ACGIH	Hazar chemi		Carc	inoge	ens
Ingredients	Contents(%)	TLV		OSHA	OSHA	NTP	IARC*
Carbon Black (CAS#: 1333-86-4)	4	3.5 mg/m ³	0	0	X	X	0
Sorbitan Fatty Acid Esters (CAS#: \$007-43-0)	4	X	X	X	X	Х	
Petroleum Solvent (CAS#: 64742-70-7)	27	Х	Х	' X	Х	Х	
Ethylene Glycol (CAS#: 107-21-1)	2	50 ppm Ceiling value	0	0	X	Х	
Water (CAS: 7732-18-6)	63	X	X	Х	X	Х	

Note X.......Not listed O.....listed

* The TARC has evaluated the evidence for the carcinogenicity of carbon black as inadequate to determine a carcinogenic risk for humans.



Signs and Symptoms of Exposure

None under normal use condition

Medical Conditions Generally Aggravated by Exposure

Will not occur.

Emergency and first Aid Procedures

Skin contact: Wash skin thoroughly with soap and water.

eye contact: Try to remove or flush out with water. If unsuccessful, get

medical attention

If swallowed: Induce vomiting by sticking finger down throat or by giving

soapy or strong salty water to drink

Section VI -Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled If spilled, wipe up with paper or cloth.

Waste Disposal Method

Used ink should be disposed of in an environmentally safe manner and in accordance with governmental regulations.

Precautions to Be Taken in Handling and Storing.

Incinerate paper or cloth that wiped spilled ink.

Other Precautions

None

Section VI -Control Measures

Respiratory P	rotection (Specify Type)	
Ŋ	ione needed	_
Ventilation	Local Exhaust	Special
	None needed	None needed
	Mechanical (General)	Other .
	Adequate ventilation	None needed
Protective Gloves		Eye Protection
None needed		None needed
Other Protect	ive Clothing or Equipment	
	None needed	

Pg.3

Work/Hygiene Practices

Avoid prolonged or repeated contact with skin. Cleanse skin thoroughly after contact, before breaks and meals, and at the end of work period. Product is readily removed from skin by waterless hand cleaners followed by washing with soap and water.

Section IX -Transportation Information

DOT Becognized Chemical Name : N/A

Hazard Classification : N/A

UN Number : N/A