: 4

: 0

: 0

Manufacturer: Binney & Smith Company

Emergency

: P.O. Box 546

Winfield, Kansas 67156

Telephone

: 316-221-4200

316-221-4200

Health

Flammability

Reactivity

Personal Protection : \* | \* See Section VIII & >

WARNING: CONTAINS

CADMIUM

4=extreme, 5 =chronic)

(HAZARD RATING: 0=least, 1=slight, 2=moderate, 3=high,

Product Class: Artist Oil Paints

Mfg. Code ID: Series 1143, 1144

160 - Cadmium Yellow Light 161 - Cadmium Yellow Medium 162 - Cadmium Yellow Deep 312 - Permanent Green Light 314 - Permanent Green Deep

Trade Name LIQUITEX Artist Oil Colors

SECTION II-A

HAZARDOUS COMPONENTS

Cadmium agent by inhalation based on tests with laboratory animals. Contains cadmium sulfide.

Component

CAS #

Vapor Pressure mm Ha

Cadmium Sulfide

1306-23-6

Zero at room temperature

SECTION II-B

OCCUPATIONAL EXPOSURE LIMITS

OSHA PEL/TWA

ACGIH TLV/TWA

As cadmium dust

0.20 mg/m<sup>3</sup>

0.05 mg/m<sup>3</sup>

SECTION III

PHYSICAL DATA

Boiling point : not established > 300°F

Evaporation rate : < 1 (ether = 1) Vapor density : > 1 (air = 1)

% Volatile by volume: < 1%</pre>

: 13-18 lbs. Weight per gallon

Specific gravity  $: 2.06 (H_20 = 1)$  SECTION IV

# HEALTH INFORMATION

Eye contact: Inert, nuisance particulate dust.

Skin contact: Non-toxic.

Inhalation: Do not spray apply. Avoid breathing dusts and mists. See Sections VIII & X.

Ingestion: Harmful if swallowed. Induce vomiting and call a physician.

Signs and symptoms: No specific hazard is known.

Aggravated medical conditions: Avoid using if pregnant or contemplating pregnancy.

Other health effects: Exposure may cause nervous system, kidney, or bone marrow damage, or harm to developing fetus.

### SECTION V

#### EMERGENCY AND FIRST AID PROCEDURES

Eye contact: Immediately flush eyes with water for at least 15 minutes. Seek medical attention if any symptoms persist.

Skin contact: Wipe excess from skin and flush with water using soap if available. Seek medical attention if irritation occurs.

Inhalation: Remove victim to fresh air and treat symptomatically. Seek medical attention.

Ingestion: Induce vomiting and call a physician.

# SECTION VI

## FIRE AND EXPLOSION HAZARDS

Flammability classification - OSHA: CLASS IIIB

- DOT: not regulated

Flash point: >300°F

Extinguishing media: Use water fog, foam, dry chemical or carbon dioxide.

Special fire fighting procedures and precautions: None known.

Unusual fire and explosion hazards: None known.

September 16, 1988 (page 3

REACTIVITY

Stability: Stable

SECTION VII

Hazardous polymerization: Will not occur

Conditions and materials to avoid: None known.

Hazardous decomposition products: Carbon dioxide, carbon monoxide, and unidentified (unknown) organic compounds may be formed during combustion.

#### SECTION VIII

### EMPLOYEE PROTECTION

Respiratory protection: Use good ventilation. Use window exhaust fan to remove vapors and assure adequate cross ventilation. For dusts and mists, use NIOSH-certified mask.

Protective clothing: Avoid contact with eyes. Wear goggles if there is likelihood of contact with eyes.

Additional protective measures: Use ventilation as required to control vapor concentrations

Eye wash fountains and safety showers should be available for use in an emergency.

#### SECTION IX

### ' ENVIRONMENTAL PROTECTION

Spill or leak procedures: Soak up residue with an absorbent such as clay, sand or other suitable material; place in non-leaking containers for proper disposal. Flush area with water to remove trace residue; dispose of flush solutions as above. Small spills - take up with an absorbent material and place in non-leaking containers; seal tightly for proper disposal.

Waste disposal. Refer to latest EPA or State regulations regarding proper disposal.

## SECTION X

# ADDITIONAL PRECAUTIONS

DO NOT SPRAY APPLY. Contains cadmium sulfide.

Not for use by children.

For further health information contact your poison control center.

For sanding dried paint - Use NIOSH-certified respirator. Do not inhale from sanding operation.

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of the product described herein.