

Belkin Components B.V. Hoofddorp ● The Netherlands Phone +31 (0) 235698765

Belkin Components

Compton ● CA ● 90220-5221 Phone 310.898.1100 **Belkin Components, Ltd.**Round Spinney ● Northampton ● NN3 8RX
Phone +44 (0) 1604678300

MATERIAL SAFETY DATA SHEET

This Material Safety Data Sheet (MSDS) is provided as a courtesy in response to a customer request. When used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may

The information in this MSDS is believed to be correct as of the date issued. Belkin MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Belkin product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Belkin product, some of which are uniquely within the user's knowledge and control, it is essential

Belkin provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Belkin makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS

I. PRODUCT IDENTIFICATION

Product Name	Bulldog Security Kit	
Product Part Number	F8E500	
Product UPC	7-22868-13107-7	
Issue Date	July 28, 2000	

IL PHYSICAL DATA ON NON-WOVEN FIBER

II. FITI SICAL DATA ON NON-WOVEN FIBER		
Composition	100% VIS	
Weight +/-10%	45 g/m2	
Thickness +/-10%	0.43 mm	
Density	> 65	
Absorption Capacity	960%	
Ether Soluble Substances	0.0011, < 30%	
Water Soluble Substances	0.003, < 0.70	
Tissue Implatation	Pass (British STND 1990)	
Skin Irritation	Pass (British STND 5736)	

9.1 MG/M3

2 MG/M3 TWA

III. PHYSICAL DATA ON CLEANING SOLUTION

Cleaning Solution		Isopropyl Alcohol, Pure Water, Anti-Static	
Boiling Point 760 MM HG	82.3° C	Melting Point	-86° C
Specific Gravity (H ₂ O-1)	0.786	Vapor Pressure	33 mm
Vapor Density (Air-1)	2.1	Solubility in H ₂ O by Wt.	100
% Volatiles by Volume	1	Evaporation Rate (Butylacetate-1)	2.2
Appearance and Odor		Slight odor resembling that of a mixtu	ire of ethanol
		and acetone. Slightly bitter in taste (not potable!)	

Bulldog Adhesive Glue

IV. PHYSICAL DATA ON GLUE

Product Name

Appearance

Hydroquinone

Product	Ethyl Cyanoacrylate Adhesive	
Ingredients	CAS No.	
Ethyl Cyanoacrylate	7085-85-0	84.5-85.4
Poly Methyl Methacrylate (PMMA)	9011-14-7	14.5
Hydroquinone	123-31-9	0.1-1
Solubility in Water	Polymerized in water	
Specific Gravity	1.05 at 75° F	
Boiling Point	More than 300° F or 54~56° 3.6-3 MMHG	
Flash Point	160-200°	
Volatile Organic Compound (EPA Method 24)	94.7%; 994.35 G/L	
Evaporation Rate (Ehter=1)	Not Available	

L. P.P		,	
Odor		Sharp, Irritating	
Vapor Pressure		Less than 0.2MM at 75° F	
Vapor Density		3	
Ingredients Which Have Exposure I	Limits		
Exposure Limits (TWA)	ACGIH	OSHA	Other
Ingredients	(TLV)	(TLV)	
Ethyl Cyangandata	None	None	2 PPM TWA
Ethyl Cyanocrylate	None	į none į	Q 1 MC/M3

2 MG/M3 TWA

Clear Liquid

2 MG/M3 TWA

N/A

V. HAZARDOUS INGREDIENTS OF CLEANING SOLUTION

Material of Component	%	Hazard Data
Isopropyl Alcohol	60	Flammable
Pure Water	30	N/A
Anti-Static	10	N/A

VI. HAZARDOUS IN	GREDIENTS OF GLUE				
Estimated NFPA Cod	ie				
Health Hazard	2	Reactivity F	lazard	2	
Fire Hazard	2	Specific Ha	zard	No Water	
Estimated HMIS Cod	e				
Health Hazard	2	Boostiv	ity Hozord	<u> </u>	
Fire Hazard	2	Reactiv	Reactivity Hazard 2		
Evalorivo Limito:	(% By Volume in Air)	(% By Volume in Air) - Lower			
Explosive Limits:	(% By Volume in Air)	(% By Volume in Air) - Higher			
Recommended Extin	guishing Agent		Carbon Dioxide	e, Foam, Dry Chemical	
Hazardous Products Formed by Fire or Thermal Decomposition		Irritating organic fragments			
Unusual Fire Exposu	re	<u> </u>	None		
11	Compressed Gases:	Compressed Gases:		None	
Hazards:	Pressure at Room Te	Pressure at Room Temperature		N/Δ	

Pressure at Room Temperature:

95133 page 3

VII. HEALTH HAZARD DATA ON CLEANING SOLUTION

Physical Contact	Effects of Overexposure	Suggest First Aid	Precautionary Info
Eye	Mild eye irritation: signs/symptoms can include redness, swelling, pain and tearing.	Immediately flush eyes with large amounts of water. If irritation persists, get immediate medical attention.	Avoid eye contact.
Skin	Mild skin irritation (after prolonged contact): signs/symptoms can include redness, swelling and itching.	Flush skin with large amounts of water. If irritation persists, get immediate medical attention.	Avoid prolonged skin contact.
Inhalation	Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness. Irritation (upper respiratory): signs/symptoms can include soreness of nose and/or throat, coughing and sneezing	If signs/symptoms occur, remove person to fresh air. If sign/symptoms continue, call a physician.	Avoid breathing of vapors. Use in well ventilated areas.
Ingestion	Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus and blood in feces.	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.	Product is not intended to be eaten or smoked.

#95133 page4

	, 5
Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue, blurred vision, slurred speech, giddiness, tremors and convulsions.	
Aspiration Pneumonitis: signs/symptoms can include coughing, difficulty breathing, wheezing, coughing up blood and pneumonia. Can be fatal.	

VIII. HEALTH HAZARD DATA ON GLUE

VIII. HEALTH HAZARD Physical Contact	Effects of Overexposure	Suggest First Aid	Precautionary Info
Eye	Vapor can cause irritation. Prolonged or repeated overexposure to vapors may result in an allergic reaction or asthma-like symptoms.	If signs/symptoms occur, remove person to fresh air. If sign/symptoms continue, call a physician.	Avoid eye contact. Wear safety glasses.
Skin	Any physical exposure will result in glue bonding to skin immediately.	Get immediate medical attention.	Avoid skin contact. Wear polyethylene glove. Do not use cotton gloves.
Inhalation	Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness. Irritation (upper respiratory): signs/symptoms can include soreness of nose and/or throat, coughing and sneezing	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.	Avoid breathing of vapors. Use in well ventilated areas.
Ingestion	Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, abdominal tenderness, nausea, blood in vomitus and blood in feces.	If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.	Product is not intended to be eaten or smoked.

*95133 page 5

	, ,
Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue, blurred vision, slurred speech, giddiness,	
Aspiration Pneumonitis: signs/symptoms can include coughing, difficulty breathing, wheezing, coughing up blood and pneumonia. Can be fatal.	

IX. ADDITIONAL PRECAUTIONARY INFO

- 1. Store in a cool place
- 2. Flammable, keep away from flame
- 3. Do not apply on food, food container or self
- 4. Always keep the cap closed.