96047-96055, 96061 195

	1991-78			
Material	Safety	Data	She	apt

Correct Solutions Manufacturer		dentify (Trade Nam	e as Used on Labe		
Manufacturer		#45000 MULTI-PURPOSE FLUID			
	1	MSDS Number			
14 East Fifteenth Street	 .				
Address	(CAS Number*			
Richmond, VA 23224		December 24, 1994			
4 000 000 0004	'				
1-800-368-3061 Phone Number (For Information)		George W. Korper Prepared By			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·	, opa. 32 2,			
Emergency Phone Number		•	•	ed. If any item is not applicable, or no pace must be marked to indicated that.	
				·	
SECTION 1 - MATERIA	EIDENTIFICAT	ION®AND	INFORMA	ATION	
COMPONENTS Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	
Petroleum Solvent	Proprietary			TWA 400 PPM	
Titanium Dioxide	Proprietary		ļ 		
Resins	Proprietary			<u> </u>	
Colorants	Proprietary			<u> </u>	
·			<u> </u>		
Non-Hazardous Ingredients					
TOTAL	100				
	1				
SECTION 2 - PHYSIC	CAL/CHEMICA	CHARAC	TERISTI	CS	
Boiling Point 210°F		necific Gravity (H	0 = 1)	0.8	
Vapor Pressure 7		Specific Gravity (H ₂ 0 = 1) Melting Point		-76	
	<u>`</u>	Evaporation Rate (BA = 1)			
Vapor Density (Air = 1) 3,5	F	vaporation Rate (f	BA = 1)	5.5	

Solubility in Water	Less than .01 at 77 °F	Water Reactive	No			
Appearance and Odor	White (or colored) viscous fluid	with petroleum odor				
S	ECTION 3 - FIRE AND	DEXPLOSION HAZARD.	DATA			
Flash Point and 20°F OC Method Used	Auto-Ignition 495°F Temperature	Flammability Limits in Air % by Volume	LEL 1 9	UEL 11.6		
Extinguisher Media	Foam or dry chemical					
Special Fire Fighting Procedures	Foam or dry chemical					
	Shut off flow. Allow to burn out.					
Unusual Fire and Explosion Hazards	Vapors explosive if collected	1.				
*Optional						

STABILITY Conditions to Avoid N/A Stable ☐ Unstable Incompatibility (Materials to Avoid) Strong oxidizing agent. Hazardous Decomposition Products None HAZARDOUS POLYMERIZATION Conditions to Avoid N/A ☐ May Occur Will Not Occur SECTION 5 - HEALTH HAZARD DATA PRIMARY ROUTES CARCINOGEN □ OSHA Inhalation Ø NTP Ingestion OF ENTRY LISTED IN □ Not Hazardous Ø Skin Absorption IARC Monograph Not Listed HEALTH HAZARDS Acute Eye contact should be avoided. Chronic Varies from person to person Signs and Symptoms of Exposure Drowsiness, blurred vision if concentrated and inhaled, Medical Conditions Generally Aggravated by Exposure Drug usage EMERGENCY FIRST AID PROCEDURES - Seek medical assistance for further treatment, observation, and support if necessary Eye Contact Flush eyes thoroughly and repeatedly with water. If irritation persists, consult physician. Skin Contact Clean skin thoroughly with soap and water, None under normal use. Deliberate concentration and inhalation can be harmful or fatal Ingestion Consult physician or Poison Control Center. Do not induce vomiting. Move to fresh air SECTION 6 - CONTROL AND PROTECTIVE MEASURES Respiratory Protection (specify type) None Eve Protection Protective Gloves **VENTILATION TO** Local Exhaust Mechanical (general) Special BE USED None Other (specify) Other Protective Clothing and Equipment Nο Hygienic Work Practices SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES Steps to be Taken if Material is Spilled or Released Absorbent material. Allow to evaporate. Dump as trash Waste Disposal Methods Normal trash. Used bottles can be returned to manufacturer for proper recycling of bottle and contents

#45000 MULTI-PURPOSE FLUID Page 2 of 2

HMIS

Rating*

Health

flammable liquid.

Keep away from fire and flame. Large quantities should be stored as

2

Flammability

Personal

Protection

Reactivity

Precautions to be Taken for Handling and Storage

Flammability

Reactivity

0

Other Precautions and/or Special Hazards

Health

NFPA

Rating*