

IBM, HIGH YIELD CORRECTABLE RIBBON P/N 1299095

MATERIAL SAFETY DATA SHEET

Lexmark International, Inc 740 New Circle Rd NW Lexington, Kentucky 40511-1876

Material Safety Data Sheet Emergency: 1-606-232-3333 Information: 1-606-232-3000

SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Name: IBM, High Yield Correctable Ribbon

Part Number: 1299095

Trade Names/Synonyms: None Chemical Family: Not Applicable

Product Use: IBM machines - IBM Electronic Typewriters-6713-Models 050, 060, & 075

Mag Cards-6616 & 6620, Typewriter 6128-Models 50 & 100, Correcting

Selectric II- 6126-8xx, Correcting Selectric III-6701-6705

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS#	ACGIRTLY	CONCENTRATION
Polyethylene Substrate	9002-88-4	Not established	Not applicable
Polyamide Resin	68213-35-4	Not established	30-40%
Carbon Black	1333-86-4	3,5 mg/m³	20-30%
Mineral Oil	8042-47-5	Not established	10-20%
Fatty Acid Ester	32953-65-4	Not established	20-30%

NOTE: Hazardous ingredients per OSHA 29 CFR 1910.1200:

Carbon Black, 1333-86-4, appears on the OSHA Table Z-1

SECTION 3 - HAZARDS IDENTIFICATION

Potential Health Effects

Inhalation:

Short Term Exposure: No adverse acute effects known.

Long Term Exposure: No adverse chronic effects known.

9866b

2054

LEXMARK

IBM, HIGH YIELD CORRECTABLE RIBBON P/N 1299095

Skin Contact:

Short Term Exposure: Prolonged staining of skin by ink may cause irritation or

dermatitis in sensitive indivduals.

Long Term Exposure: No adverse chronic effects known.

Eye Contact:

Short Term Exposure: May cause eye irritation.

Long Term Exposure: No adverse chronic effects known.

Ingestion:

Short Term Exposure: No adverse acute effects known.

Long Term Exposure: No adverse chronic effects known.

Carcinoges Status:

No ingredient, subject to the reporting requirements, has been found to be a carcinogen or as an anticipated carcinogen as listed by NTP, IARC, or OSHA.

Medical condition generally aggravated by exposure:

May irritate individuals with skin problems. Suspectible individuals may have an allergic reaction.

SECTION 4 - FIRST AID MEASURES

Inhalation

First Aid: No adverse effects known.

Skin Contact

First Aid: Immediately wash affected area with soap and water.

Eye Contact

First Aid: Immediately wash with running water or shower for 15 minutes.

Ingestion

First Aid: Seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazard: None known.

Extinguishing Media: Water, dry chemical, foam

Firefighting Procedure: Use a self contained breathing apparatus. Treat as if an oil fire.

Water is generally ineffective.

Hazardous Combustion Products: Carbon Dioxide, Carbon Monoxide

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Occupational Spill: Not applicable.

98666

304

LEXMARK

IBM, HIGH YIELD CORRECTABLE RIBBON P/N 1299095

Į

SECTION 7 - HANDLING AND STORAGE

Avoid excessive temperatures during storage. Preferred temperature is normal room temperature.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: None.

Ventilation: None required

Eye Protection: None required

Clething: None required.
Gloves: None required
Respirator: None required

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Description: Thin plastic film coated with a dry black ink. No odor.

Melting Point: Not Applicable Specific Gravity: Not established Water Solubility: Insoluble

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Stable.

Conditions to Avoid: None known.

Incompatibilities: Strong acids, bases and other oxidizers.

Hazardous Decomposition: None expected

Polymerization: Will not occur.

SECTION 11 - TOXICOLOGY INFORMATION

Carcinogen Status: No ingredient, subject to the reporting requirements, has been found to be a

carcinogen or as an anticipated carcinogen as listed in NTP, IARC or OSHA...

Acute Toxicity Level: None known

Target Effects: None known.

SECTION 12 - ECOLOGICAL INFORMATION

Environmental impact rating (0-4): Not Available

Acute Aquatic Toxicity: Not Available.

Degradability: Not Available.

Log Bioconcentration Factor (BCF): Not Available.

Log Octanol/Water Partition Coefficient: Not Available.

98 Loleb 4084

LEXMARK

IBM, HIGH YIELD CORRECTABLE RIBBON P/N 1299095

SECTION 13 - DISPOSAL INFORMATION

This ribbon is not classified as hazardous waste. Dispose of in accordance with local, state and federal regulations.

SECTION 14 - TRANSPORTATION INFORMATION This product is not regulated by DOT.

SECTION 15 - REGULATORY INFORMATION

OSHA Hazardous Component, 29 CFR 1910.1200: Refer to section 2 for details.

Toxic Substances Control Act(TSCA): The listed ingredients of this product are listed on the TSCA inventory.

SARA Section 313: This product contains no ingredients, that are subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986.

New Jersey Right to Know Law: This made is in compliance with NJ state law.

California Proposition 65: No ingredient is listed on the California Proposition 65 Drinking Water Enforcement Act of 1986.

Canadian Environmental Protection Act(CEPA): All ingredients listed are on the Canadian Domestic Substance List.

Canada WHMIS: Not a WHMIS controlled product

SECTION 16 - OTHER

Disclaimer: Lexmark believes that the information contained herein is current as of the date of the Material Safety Data Sheet. No warranty as to its accuracy or completeness is expressed or implied.

MID: 00 1299095

Creation Date: 12/05/94

Revision Date: N/A