MSDS No.: B-0222

Date: 9/30/82

Revision: 12/18/91

Manufacturer: **Xerox Corporation** 

Rochester, N.Y. 14644

Emergency Tel. No.: Information Tel. No.: (716) 422-2177 (800) 828-6571

Transportation Emergency

Telephone No.:

(716) 422-1230

#### Section I - Product Identification

Trade Names/Synonyms:

1075/1090/4050/4090/

**Ingredients** 

Part No. : 4650 Developer

5R300, 5R302, 5R423;

FX: 5R306, 5R307; XCI: 5R510, 5R530

**Chemical Name:** 

None

CAS No.

Carrier (95-100%): Steel powder

7439-89-6

Toner (< 5%):

Styrene/acrylate polymer (>90%) Carbon black (5-10%) Quaternary ammonium salt (<2%)

25213-39-2 1333-86-4 123-03-5

#### Section II - Emergency and First Aid

Eyes:

Flush with water.

Skin: Inhalation:

Wash with soap and water. Remove from exposure.

Ingestion:

Dilute stomach contents with several glasses of water.

**Primary Route of Entry:** 

Inhalation

Symptoms of Overexposure:

Minimal respiratory tract irritation may occur as with exposure to large

amounts of any non-toxic dust.

Medical Conditions Generally

Aggravated by Exposure:

None when used as described by product literature.

Additional Information:

See Sections V and VII. Further information on file in Poisindex. -

## Section III - Toxicology and Health Information

This material has been evaluated by Xerox Corporation. Oral LD<sub>50</sub>:

Inhalation LC<sub>50</sub>:

Dermal LD<sub>50</sub>:

> 10 g/kg (Rats) practically non-toxic. >2 g/kg (Rabbits) practically non-toxic.

TLV: PEL:

10 mg/m³ (Total Dust) 15 mg/m³ (Total Dust) 5 mg/m³ (Respirable Dust)

0.4 mg/m<sup>1</sup> (Respirable Dust)

poisonous, DOT 1

>5 mg/l (Rats, 4 hr exposuré) practically non-toxic.1 >20 mg/l (calculated 1 hr exposure) non-

None established

Eye Irritation: Skin Sensitization:

Not an irritant. Not a sensitizer. Ceiling: None established XEL2: 2.5 mg/m³ (Total Dust)

Skin Irritation: Human Patch:

Not an irritant.

Non-irritating, non-sensitizing

Mutagenicity:

No mutagenicity detected in Ames, Mouse Lymphoma, CHO/SCE, Micronucleus, and 3T3 Transformation Assays.

Carcinogens: None present

Aquatic LC50:

68 mg/l (Rainbow Trout)

Additional Information:

Teratology(Rats): No significant effects on fetal development.

Subchronic Inhalation (Rats): No adverse effects other than those due to "lung

overloading" (defined below).

The information noted above is toxicity data for toner.

In a Xerox sponsored chronic inhalation study in rats using a special test toner, there were no lung changes at all in the lowest exposure level (1 mg/m³), the most relevant level to potential human exposures. A very slight degree of fibrosis was noted in 25 % of the animals at the middle exposure level (4 mg/m³) while a slight degree of fibrosis was observed at the highest exposure level (16 mg/m³) in all animals. These findings are attributed to "lung overloading," a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. The special test toner was ten times more respirable than commercially available Xerox toner to comply with EPA testing protocol and would not function properly in Xerox equipment.

<sup>1</sup>Based on testing similar Xerographic toner materials - <sup>2</sup>XEL - Xerox Exposure Limit

N.A.-Not Applicable N.E.-None Established N.D.-Not Determined 600E58300

Trade Name 1075/1090/4050/4090/4650 Developer

MSDS No :

B-0222

### Section IV - Physical Data

Appearance/Odor:

Black granular / faint odor

Softening Range:

85°C to 100°C

**Boiling Point:** 

Melting Point:

Solubility in Water:

Negligible

Specific Gravity ( $H_2O = 1$ ):

N.A.

**Evaporation Rate:** Vapor Density (Air = 1):

N.A.

Vapor Pressure (mm Hg):

~5 N.A.

Volatile

N.A.

N.A.

N.A. %(Wgt.) N.A. %(Vol.)

#### Section V - Fire and Explosion Data

Flash Point (Method Used):

N.A.

Flammable Limits

UEL:

N.A.

Extinguishing Media:

Water, foam, dry chemical.

**Special Fire Fighting Procedures:** 

Avoid inhalation of smoke. Wear protective clothing and self-contained

breathing apparatus.

Fire and Explosion Hazards:

None

#### Section VI - Reactivity Data

Stability:

Unstable Stable

Hazardous Polymerization:

May Occur Will Not Occur

Hazardous Decomposition Products:

Products of combustion may be toxic. Avoid breathing smoke.

Incompatibility (Materials to Avoid):

None

# **Section VII - Special Protection Information**

Respiratory Protection:

Eye Protection:

None required when used as intended in Xerox equipment. None required when used as intended in Xerox equipment. None required when used as intended in Xerox equipment.

**Protective Gloves:** Other:

For use other than normal customer - operating procedures (such as in bulk toner processing facilities), goggles and respirators may be required. For more -

information, contact Xerox.

### **Section VIII - Special Precautions**

Handling and Storage:

Conditions to Avoid:

Avoid prolonged inhalation of excessive dust.

## Section IX - Spill, Leak, and Disposal Procedures

For Spills or Leakage:

If spilled, sweep up or vacuum.

Waste Disposal Method:

When disposed, this material is not a hazardous waste according to Federal Regulation 40 CFR 261. However, State and Local requirements may be more restrictive. Therefore, consultation with the appropriate State and Local waste disposal authorities is advised.

### Section X - Transportation Information .....

**DOT Proper Shipping Name:** 

Not Regulated

Hazard Classification:

**ID Number:** 

600ES8300